Application No. 10/780,062

Art Unit 3635

Reply to July 19, 2007 Office Action Attorney Docket No. C&M1.PAU.19

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

1-6. (Canceled).

7. (Currently Amended) A method for making a wood slat, the method comprising:

providing a first bulk section of wood <u>having joining marks that appear in a face plane, the joining marks resulting from rejoining shorter blocks of wood to form the bulk section;</u>

cutting the first bulk section along first parallel planes in a successive first order to form a plurality of first slats each having a face plane;

joining the face planes of the first slats in an order different than the first order to create a new bulk section in the form of a laminate; and

cutting the new bulk section along second parallel planes to form the wood slat, the second parallel planes being generally transverse to the first parallel planes such that the joining marks are substantially hidden in the wood slat.

8. (Canceled).

9. (Canceled).

Application No. 10/780,062 Art Unit 3635

Reply to July 19, 2007 Office Action Attorney Docket No. C&M1.PAU.19

10. (Currently Amended) The method of making a wood slat having hidden

joining marks of claim [[8]] 7, wherein the first bulk section is in the form of a rectangular

block.

11. (Canceled).

12. (Currently Amended) The method of making a wood slat having hidden

joining marks of claim [[8]] 7, wherein each of the plurality of wood slats has a thin

rectangular shape.

(Currently Amended) A wood slat prepared by a process comprising:

providing a bulk section of wood having joining marks that appear in a face

plane, the joining marks resulting from rejoining shorter blocks of wood to form the bulk

section;

cutting successive sections of the bulk section of wood, the sections defining first

parallel planes and forming a plurality of individual wood pieces;

rejoining the plurality of individual wood pieces in a different order to form a new

bulk section; and

cutting the new bulk section along second parallel planes, the second parallel

planes being transverse to the first parallel planes so that the wood slat has a desirable

veneer appearance that the joining marks are substantially hidden in the wood slat.

Attorney Docket No. C&M1.PAU.19

14. (Canceled).

15. (Original) The wood slat prepared by the process of claim 13, wherein said bulk section is in the form of a rectangular block.

16. (Currently Amended) The wood slat prepared by the process of claim 13, wherein each of the plurality of wood pieces have has a thin rectangular shape.

17. (Previously presented) The wood slat prepared by the process of claim 13, wherein the second cutting step provides the wood slat with a thin rectangular shape.

- 18. (Canceled).
- 19. (Canceled).
- 20. (Previously presented) The method of claim 7, wherein the second parallel planes are generally perpendicular to the first parallel planes.
- 21. (Previously presented) The wood slat of claim 17, wherein the second parallel planes are generally perpendicular to the first parallel planes.

Application No. 10/780,062

Art Unit 3635

Reply to July 19, 2007 Office Action

Attorney Docket No. C&M1.PAU.19

22. (Currently amended) A finished wood slat, comprising:

multiple first manufactured wood slats each having a first face plane and at least

one zig-zag joining line exposed on the first face plane,

the multiple first manufactured wood slats being re-ordered and laminated

together and sliced along a direction perpendicular to the first face planes of the first

manufactured wood slats to produce second manufactured wood slats each having a

second face plane free of any exposed zig-zag joining lines, the second manufactured

wood slats being the finished wood slat.

23. (Currently amended) A finished wood slat, comprising having:

a long thin rectangular shaped having a final face-of the finished wood slat,

<u>wherein</u>

the final face being defined by periphery edges of a plurality of first manufactured

slats each having a face plane containing joining marks in an undesirable pattern, and

wherein

the face planes being generally transverse to the periphery edges of the first

manufactured slats so that the undesirable patterns of the joining marks are not

exposed in the final face of the finished wood slat.

24. (Previously presented) The wood slat of claim 21, wherein the undesirable

pattern of the joining marks is a zig-zag pattern.

Patent Application

Application No. 10/780,062

Art Unit 3635

Reply to July 19, 2007 Office Action

Attorney Docket No. C&M1.PAU.19

25. (Previously presented) The wood slat of claim 21, wherein the long thin

rectangular shape is a laminate.

26. (Currently amended) The wood slat of claim [[23]] 25, wherein the laminate

is formed with at least one adhesion plane joining the face planes of an adjacent pair of

the first manufactured slats.

27. (Currently amended) The wood slat of claim [[21]] 23, wherein the plurality

of first manufactured slats are selectively cut to preferred dimensions, and wherein the

finished wood slat is selectively cut to preferred dimensions.

28. (Currently amended) The finished wood slat of claim [[21]] 23, wherein the

second parallel planes are generally perpendicular to the first parallel planes face

planes are perpendicular to the periphery edges of the first manufactured slats.